



ROCKFACE WALL CLADDING



amssurfaces.com.au

ROCKFACE WALL CLADDING



Elevate Your Space with our Stone Wall Cladding

Our rockface stone wall cladding products bring the raw, organic beauty of nature to your architectural designs. Each stone is uniquely selected for its natural texture, depth, and rich colour variations, creating an eye-catching, natural aesthetic. This cladding integrates seamlessly with landscapes, enhancing the visual harmony between built and natural environments.



Achieve Precision with Geometric Stone Wall Cladding

For a more structured and modern look, our geometric stone wall cladding offers precision and elegance. These stones are meticulously cut into uniform shapes and sizes, providing a clean, contemporary finish that highlights architectural lines. Perfect for both interior and exterior applications, geometric cladding creates a sophisticated backdrop that complements any design scheme.

Versatile and Customizable Cladding Solutions

Our rockface stone wall cladding products are designed to meet diverse aesthetic needs. With options to adjust grout colour and spacing, you can personalize the design impact to suit your project's unique vision. Whether you seek the rugged charm of natural stone or the sleek precision of geometric patterns, our cladding solutions deliver unmatched beauty and durability.

ROCKFACE COLLECTION



Afytos
page 6



Akron
page 7



Alpine White
LSF12
page 9



Bronze Vale
LSF06
page 10



Copper Ember
LSF07
page 11



Cottage Blend
LSF101
page 12



Desert Sunset
LSF15
page 14



Gaia White
page 15



Golden Oak
page 18



Heritage Blend
LSF03
page 20



Iron Bark
LSF18
page 23



Iron Stone
page 24



Ivory Vale
LSF04
page 26



Latte
page 27



Light Grey Pearl
page 28



Midnight Ridge
LSF01
page 32



Mocca
page 33



Olive Ash **LSF09**
page 34



Olympos
page 35



Oyster Crest
LSF11
page 37



Pearl White
page 38



Pewter Ridge
LSF10
page 40



Pinko
page 41



Pouro
page 43



Rose Quarry
LSF05
page 44



Sand Dune
LSF08
page 45



Silver Frost
LSF101
page 46



Smoky Earth
LSF02
page 47



Stone Crow
page 48



Thassos
page 51

ROCKFACE COLLECTION

GEOMETRIC



**Halkidiki
Geometric**

page 21



**Light Grey Pearl
Geometric**

page 30



**Thassos
Geometric**

page 52

Afytos



unfilled joint

SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS


Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Afytos Rockface, reimagined for outdoor living.



Akron



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm


Thickness: ranging from 30-50mm

Shape: L shaped pieces


120

as required





Akron filled joint



Akron unfilled joint

Alpine White

LSF12



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

120

*Packing Details
(m²/crate)*

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces


120

as required



Bronze Vale

LSF06



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

120

*Packing Details
(m²/crate)*

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Copper Ember

LSF07



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Cottage Blend

LSF101



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

120

*Packing Details
(m²/crate)*

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Cottage Blend rockface feature wall.



Desert Sunset

LSF15



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Gaia White



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm


Shape: L shaped pieces

120

as required



Gaia White filled joint



Gaia White unfilled joint



Gaia White Rockface, reimagined for indoor and outdoor living.



Golden Oak



unfilled joint

SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm


Shape: L shaped pieces

120

as required



Golden Oak Rockface, reimagined for indoor and outdoor living.



Heritage Blend

LSF03



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

120

*Packing Details
(m²/crate)*

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Halkidiki Geometric



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required




Halkidiki Geometric unfilled joint

Halkidiki Geometric filled joint

Iron Bark

LSF18



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Iron Stone



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Iron Stone filled joint

Iron Stone unfilled joint

Ivory Vale

LSF04



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Latte



filled joint

SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Light Grey Pearl



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Light Grey Pearl filled joint



Light Grey Pearl unfilled joint



Light Grey Pearl Geometric



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm


Shape: L shaped pieces

120

as required



Light Grey Pearl Geometric filled joint



Light Grey Pearl Geometric unfilled joint



Midnight Ridge

LSF01



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Mocca



unfilled joint

SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

120

*Packing Details
(m²/crate)*

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Olive Ash

LSF09



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

120

*Packing Details
(m²/crate)*

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Olympos



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Olympos filled joint



Olympos unfilled joint

Oyster Crest

LSF11



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Pearl White



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Pearl White filled joint



Pearl White unfilled joint



Pewter Ridge

LSF10



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Pinko



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Pinko filled joint



Pink unfilled joint



Pouro



unfilled joint

SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

120

*Packing Details
(m²/crate)*

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Rose Quarry

LSF05



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm


Shape: L shaped pieces

120

as required

Sand Dune

LSF08



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Silver Frost

LSF101



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm


Shape: L shaped pieces

120

as required

Smokey Earth

LSF02



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required

Stone Crow



SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

*Packing Details
(m²/crate)*

120

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces


120

as required



Stone Crow filled joint

A close-up photograph of a stone wall where the joints between dark, irregularly shaped stones are filled with a thick, light-colored mortar. The mortar is applied in a way that creates a distinct, raised border around each stone, giving the wall a textured, finished appearance.



Stone Crow unfilled joint

A close-up photograph of a stone wall where the joints between dark, irregularly shaped stones are left unfilled. The stones are tightly packed, but the gaps between them are visible, showing a more natural, rugged texture compared to the filled joint version.

Stone Crow Rockface, reimagined for indoor and outdoor living.



Thassos



unfilled joint

SIZING

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

*Weight
(kg/m²)*

120

*Packing Details
(m²/crate)*

12

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required



Thassos Geometric

SIZING

Weight
(kg/m²)

Packing Details
(m²/crate)

WALLING

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30mm to 50mm

Finish: Rockfaced at the front, sawn all sides and back

120

12



Weight
(kg/m²)

Packing Details
(m²/crate)

CORNERS

Sizes: available in random sizes up to 400mm

Thickness: ranging from 30-50mm

Shape: L shaped pieces

120

as required





Thassos Geomteric filled joint



Thassos Geometric unfilled joint



Thassos Geometric Rockface, reimagined for outdoor living.





contact us

South Australia

AMS Surfaces Mile End Showroom
59 Grange Road, Welland, SA 5007
Telephone: +61 8 8352 1265

AMS Surfaces + Adelaide Marble Head Office
122 South Terrace, Wingfield, SA 5013
Telephone: +61 8 8345 1842

enquiries@adelaidemarble.com.au
amssurfaces.com.au

You can also get in touch directly with our AMS team:

simon@adelaidemarble.com.au
danny@adelaidemarble.com.au
jeremy@adelaidemarble.com.au
despina@adelaidemarble.com.au
james@adelaidemarble.com.au
spirom@adelaidemarble.com.au

Northern Territory

AMS Surfaces Darwin Showroom
8/23 Tannadice Street, Winnellie, NT 0820
Telephone: +61 8 8345 1842